



Fresnel lens  
Honeycomb shape,  
long distance,  
high sensitivity

# Power off delay device & human body sensor device

According to customer requirements, we provide **emergency power supply** and **human body sensor** accessories installation services, according to different needs to provide you with a variety of specifications of accessories, to meet the actual use.

## EMERGENCY POWER SUPPLY



## HUMAN BODY SENSOR



Monomer induction probe



Split type induction







# Instructions for installation and use of the human body sensor.

The light is automatically turned on when people walk within the sensing range.

The environment must be in a state of insufficient light to sense the human body and light up.

If the light is sufficient, it will sleep automatically.

Animals or moving objects that sense temperature characteristics similar to a human body will also automatically light up.





Product Picture	Model	Emergency lights Working Time	Human body sensor switch					Application scheme: emergency power supply + induction switch category
			Sensing Range	Sensing Angle	Sensor probe delay time	Split body induction switch adjustable delay time	Recommended installation height	
	HF-3120系列	120 minutes	2-6meter	≤120°	45 seconds	16~360seconds	3-4meter	Emergency power supply:3-30W Size: 85*55*25mm +Human body sensor probe built-in (φ20mm)
		120 minutes	2-6meter	≤120°	45 seconds	16~360seconds	3-4meter	Emergency power supply:3-30W Size: 85*55*25mm +Human body sensor probe built-in (φ20mm)
		120 minutes	2-6meter	≤120°	45 seconds	16~360seconds	3-4meter	Emergency power supply:3-30W Size: 85*55*25mm +Human body sensor probe built-in (φ20mm)
	HF-70HSW-A	180 minutes	---	---	---	---	2-2.5meter	Emergency power supply:5-50W Size: 180*52*30mm Outage delay time: 130minutes Size: 195*65*29mm Outage delay time: 180minutes
	HF-70HSW-E	120 minutes	---	---	---	---	2-2.5meter	Emergency power supply:3-30W : Size: 125*40*28mm Outage delay time: 85minutes Size: 85*55*25mm Outage delay time: 120minutes
	HF-70HSW-EB	120 minutes	---	---	---	---	2-2.5meter	Emergency power supply:3-30W : Size: 125*40*28mm Outage delay time: 85minutes Size: 85*55*25mm Outage delay time: 120minutes








Product Picture	Model	Emergency lights Working Time	Human body sensor switch					Application scheme: emergency power supply + induction switch category
			Sensing Range	Sensing Angle	Sensor probe delay time	Split body induction switch adjustable delay time	Recommended installation height	
	HF-50HSW-A	---	2-6meter	≤120°	45 seconds	16~360seconds	2-2.5meter	Human body sensor probe built-in (φ20mm)
	HF-50HSW-B	120 minutes	2-6meter	≤120°	45 seconds	16~360seconds	2-2.5meter	Human body sensor probe built-in (φ20mm) +Emergency power supply:3-30W Size: 125*40*28mm Outage delay time: 85minutes Size: 85*55*25mm Outage delay time: 120minutes
	HF-50HSW-L	----	2-6meter	≤120°	45 seconds	16~360seconds	2-2.5meter	Human body sensor probe built-in (φ20mm)
		120 minutes	----	----	----	----	2-2.5meter	Emergency power supply:3-30W Size: 125*40*28mm Outage delay time: 85minutes Size: 85*55*25mm Outage delay time: 120minutes
		120 minutes	2-6meter	≤120°	45 seconds	16~360seconds	2-2.5meter	Human body sensor probe built-in (φ20mm) Emergency power supply:3-30W Size: 125*40*28mm Outage delay time: 85minutes Size: 85*55*25mm Outage delay time: 120minutes
	HF-150HSW-L HF-250HSW-L	85-180 minutes	----	----	----	----	2-2.5meter	Emergency power supply:3-30W Size: 125*40*28mm Outage delay time: 85minutes Size: 85*55*25mm Outage delay time: 120minutes Emergency power supply:5-50W Size: 180*52*30mm delay time: 130minutes Size: 195*65*29mm Outage delay time: 180minutes
	HF-70HSJ-L	85 minutes	----	----	----	----	3-4meter	Emergency power supply:3-30W Size: 125*40*28mm Outage delay time: 85minutes
	HF-150HSJ-L	120-180 minutes	----	----	----	----	3-4meter	Emergency power supply:3-30W Size: 125*40*28mm Outage delay time: 85minutes Size: 85*55*25mm Outage delay time: 120minutes Emergency power supply:5-50W Size: 180*52*30mm delay time: 130minutes Size: 195*65*29mm Outage delay time: 180minutes





Product Picture	Model	Emergency lights Working Time	Human body sensor switch					Application scheme: emergency power supply + induction switch category
			Sensing Range	Sensing Angle	Sensor probe delay time	Split body induction switch adjustable delay time	Recommended installation height	
	HF-70HSJ-M	85-180 minutes	-----	-----	-----	-----	3-4meter	Emergency power supply:3-30W Size: 125*40*28mm Outage delay time: 85minutes Size: 85*55*25mm Outage delay time: 120minutes Emergency power supply:5-50W Size: 180*52*30mm delay time: 130minutes Size: 195*65*29mm Outage delay time: 180minutes
	HF-70HSJ-D-E	85minutes	-----	-----	-----	-----	3-4meter	Emergency power supply:3-30W Size: 125*40*28mm Outage delay time: 85minutes *Drive size cannot exceed 130*36*25mm
	HF-150HSJ-D-E	180 minutes	-----	-----	-----	-----	3-4meter	Emergency power supply:5-50W Size: 180*52*30mm delay time: 130minutes Size: 195*65*29mm Outage delay time: 180minutes *Drive size cannot exceed 110*40*30mm
	HF-70HSJ-AL	85 minutes	-----	-----	-----	-----	3-4meter	Emergency power supply:3-30W Size: 125*40*28mm Outage delay time: 85minutes
	HF-150HSJ-AL	85 minutes	-----	-----	-----	-----	3-4meter	Emergency power supply:3-30W Size: 125*40*28mm Outage delay time: 85minutes

We can install the additional sensor built in or external according to the customer requirements .

